

Oracle Data Guard Course Content

➤ DATA GUARD OVERVIEW

- Overview of Data Guard
- Requirements for Maintaining a Standby Database
- Data Guard Terminology
- Levels of Protection
- Physical, Logical and Snapshot Standby Databases
- Role Transition Management Services
- Data Guard Interfaces
- Standby Database Creation
- Data Guard Installation

➤ DATA GUARD ARCHITECTURE

- Data Guard Architecture
- Processes Active on the Primary and Standby Database
- Data Guard Architecture and Initialization Processes

- CREATE A PHYSICAL STANDBY DATABASE WITH SQL COMMANDS
 - Prepare the Primary Database for Data Guard
 - Initialization Parameters for the Standby Database
 - Datafile and Controlfile Duplication
 - Create the Standby Instance
 - Network Files Configuration
 - Activate the Standby Database
 - Verify Primary and Standby Databases are Working
 - Archive Log Loss
 - Open the Standby Database
 - Shut Down and Start Up the Data Guard Environment
 - Active Data Guard
 - Monitor Primary and Standby Databases

- REDO TRANSPORT SERVICES

- Overview of Redo Transport Services
- How Data Guard Sends Redo Data
- Control when Redo Data is Sent with the VALID_FOR Option
- Handle Transmission Errors

- Manage Archive Gaps
- Levels of Protection

➤ REDO APPLY SERVICES

- Overview of Log Apply Services
- Apply Redo Data Immediately
- Delay Redo Data Application
- Terminate Redo Apply Services
- Create a Snapshot Standby Database

➤ ROLE TRANSITION USING SQL COMMANDS

- Role Transition Overview
- Prepare the Primary Database
- Prepare the Standby Database
- Perform a Switchover
- Perform a Failover
- Reinstatate the Failed Primary

➤ CHANGE MANAGEMENT

- Change Management Overview

- Add Datafiles or Tablespaces
 - Drop Tablespaces and Delete Datafiles
 - Transportable Tablespaces
 - Rename Datafiles
 - Add or Drop Redo Log Files
 - Nologging Operations
 - Lost Write Detection
-
- CREATE A STANDBY DATABASE WITH RECOVERY MANAGER
 - Overview of Standby Database Creation with RMAN
 - Create a Suitable Backup with RMAN
 - Standby Path and File Names
 - Build the Standby Instance
 - Create a Standby Database with RMAN
-
- CREATING A LOGICAL STANDBY USING SQL COMMANDS
 - Overview of Creating a Logical Standby Database using SQL Commands
 - Prepare the Primary Database
 - Prepare the Standby Database

- Transition a Physical Standby to a Logical Standby
- Start the Standby Instance
- Real Time Apply
- Delete Archives
- Dictionary Views Containing useful Standby Information
- Monitor the SQL Apply Progress

➤ MANAGING A LOGICAL STANDBY DATABASE

- Overview of SQL Apply Architecture
- Transaction Size Considerations
- DML and DDL Apply Considerations
- Intercept DDL Statements
- Skip DML and DDL on the Standby Database
- Modify a Logical Standby Database
- Materialized Views on the Primary Database
- Table Instantiation
- Restart SQL Apply
- Customize DBA_LOGSTDBY_EVENTS
- Rolling Upgrades using Logical Standby
- Rolling Upgrades on a Physical Standby
- Job Scheduling on a Logical Standby

- TUNING A STANDBY DATABASE
 - Overview of Tuning a Physical Standby Database
 - The Significance of Tables without Primary Keys
 - Statistics on the Logical Standby
 - Transaction Consistency
 - Adjusting the Number of Applier Processes
 - Adjusting the Number of Preparer Processes
 - Tune the Memory for the LCR Cache
 - Set the ReopenSecs and NetTimeout Database Properties
 - Compress Redo Data
 - Optimize SQL Apply

- BACKUP AND RECOVERY CONSIDERATIONS
 - Implement a Backup & Recovery Strategy
 - Backup & Recovery of a Primary Database with a Physical Standby Database
 - Backup and Recovery of a Logical Standby Database
 - Use a RMAN Recovery Catalog in a Data Guard Configuration
 - Create the Recovery Catalog

- Register a Database in the Catalog
 - Configure Daily Incremental Backups
 - Recover a Datafile on the Primary Database
 - Recover a Datafile on the Standby Database
-
- USE FLASHBACK DATABASE IN A DATA GUARD CONFIGURATION
 - Overview of Flashback Database Usage in a Data Guard Configuration
 - Configure Flashback Database
 - Use Flashback Database Instead of Apply Data
 - Use Flashback Database and Real Time Apply
 - Flashback through Standby Database Role Transitions
 - Use Flashback Database after Failover
-
- DATA GUARD BROKER OVERVIEW
 - Overview of Oracle Data Guard Broker
 - Oracle Enterprise Manager Grid Control
 - The DGMGRL Command Line Interface
 - Data Guard Monitor
 - Install Oracle Data Guard
 - Use the Data Guard Broker
 - Start up the Data Guard Broker

- BUILD A CONFIGURATION USING THE BROKER
 - Prepare for a Configuration Build
 - Configure the Primary Database
 - Configure the Standby Database
 - Enable and Disable the Configuration

- MANAGE A CONFIGURATION USING THE BROKER
 - Display and Edit Database Properties
 - Set the Configuration Protection Mode
 - Configure Fast Start Failover
 - Execute a Switchover
 - Execute a Failover
 - Alter the state of a Database
 - Monitor the Configuration

- OVERVIEW OF DATA GUARD AND ORACLE ENTERPRISE MANAGER
 - Access the Data Guard User Interface
 - Execute a Switchover
 - Execute a Manual Failover
 - Alter the state of a Database
 - Configure Fast Start Failover
 - Enable and Disable Fast Start Failover
 - Monitor the Data Guard Configuration

- Create a Physical Standby Database using EM Grid Control